	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
17	BRS	L17	68	(high adj2 compar$6 or upper adj2 compar$4 or high adj2 voltage or "vH" or "vtH" or High adj2 detect$3 or upper adj2 detect$2 or "vmax" or max$6 near1 compar$5) with (low adj2 compar$6 or lower adj2 compar$4 or low adj2 voltage or "vL" or "vtL" or low adj2 detect$3 or upper adj2 detect$2 or "vmin" or min$5 near1 compar$6) with (clock$3 near2 logic or clock$3 near3 flip adj2 flop$1 or clock$3 near2 "F/F" or clock$3 near3 shift near2 register$1 or clock$3 near3 "S/H" or clock$3 near2 sampl$3 adj2 hold$3)	US-PGPUB; USPAT; EPO; JPO	2005/12/31 10:33	

	Error Definition	Errors
17		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
18	BRS	L18	281	(high adj2 compar$6 or upper adj2 compar$4 or high adj2 voltage or "vH" or "vtH" or High adj2 detect$3 or upper adj2 detect$2 or "vmax" or max$6 near1 compar$5 or positive adj2 compar$5 or positive adj2 detect$3 or upper adj2 edg$3 or ris$3 adj2 edg$3 or lead$3 adj2 edg$3) with (low adj2 compar$6 or lower adj2 compar$4 or low adj2 voltage or "vL" or "vtL" or low adj2 detect$3 or upper adj2 detect$2 or "vmin" or min$5 near1 compar$6 or negative adj2 detect$3 or negative adj2 compar$5) with (clock$3 near2 logic or clock$3 near3 flip adj2 flop$1 or clock$3 near2 "F/F" or clock$3 near3 shift near2 register$1 or clock$3 near3 "S/H" or clock$3 near2 sampl$3 adj2 hold$3 or clock$3 near2 latch$3 or lower adj2 edg$3 or fall$3 adj2 edg$3 or lag$4 adj2 edg$3)	US-PGPUB; USPAT; EPO; JPO	2005/12/31 10:52	

	Error Definition	Err ors
18		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
19	BRS	L19	682	(high adj2 compar$6 or upper adj2 compar$4 or high adj2 voltage or "vH" or "vtH" or High adj2 detect$3 or upper adj2 detect$2 or "vmax" or max$6 near1 compar$5 or positive adj2 compar$5 or positive adj2 detect$3 or upper adj2 edg$3 or ris$3 adj2 edg$3 or lead$3 adj2 edg$3) with (low adj2 compar$6 or lower adj2 compar$4 or low adj2 voltage or "vL" or "vtL" or low adj2 detect$3 or lower adj2 detect$2 or "vmin" or min$5 near1 compar$6 or negative adj2 detect$3 or negative adj2 compar$5 or lower adj2 edg$3 or fall$3 adj2 edg$3 or lag$4 adj2 edg$3) with (clock$3 near2 logic or clock$3 near3 flip adj2 flop$1 or clock$3 near2 "F/F" or clock$3 near3 shift near2 register$1 or clock$3 near3 "S/H" or clock$3 near2 sampl$3 adj2 hold$3 or clock$3 near2 latch$3)	US-PGPUB; USPAT; EPO; JPO	2005/12/31 10:54	
20	BRS	L20	83	19 and "375"/$.ccls.	US-PGPUB; USPAT; EPO; JPO	2005/12/31 10:54	

21	BRS	L21	81	20 not 17	US-PGPUB; USPAT; EPO; JPO	2005/12/31 11:18	

	Error Definition	Errors
19		
20		
21		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
22	BRS	L22	167	(differential adj2 amplif$6 or differential adj3 driv$3 or differential adj2 compar$6 or differential adj2 buffer$3 or differentail adj2 circuit$3) with (clock$3 near3 "F/F" or clock$3 near3 "S/H" or clock$3 near3 flip$1 adj1 flop$1 or clock$3 near3 hold$3 or clock$3 near3 logic adj2 gate$1 or clock$3 near3 latch$3 or clock$3 near3 shif$1 adj2 register$1 or clock$3 near3 "D" adj2 "F/F" or clock$3 near3 "D" adj2 flip$1 adj1 flop$1 or clock$3 near2 logic adj2 circuit$3)	US-PGPUB; USPAT; EPO; JPO	2005/12/31 11:25	
23	BRS	L23	0	("6791370").URPN.	USPAT	2005/12/31 11:31	
24	BRS	L24	15	("4169233" | "4608670" | "5162681" | "5243573" | "5334890" | "5534800" | "5537066" | "5552737" | "5828239" | "5838173" | "5939903" | "5949259" | "6008673" | "6037808" | "6049504").PN.	US-PGPUB; USPAT; USOCR	2005/12/31 11:31	
25	BRS	L25	2	("6194933").URPN.	USPAT	2005/12/31 11:40	

	Error Definition	Errors
22		
23		
24		
25		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
26	BRS	L26	1	("5286972").PN.	US-PGPUB; USPAT; USOCR	2005/12/31 11:40	
27	BRS	L27	5	("6154548").URPN.	USPAT	2005/12/31 11:42	
28	BRS	L28	13	("6084607").URPN.	USPAT	2005/12/31 11:44	
29	BRS	L29	3	("4675696" | "5404020" | "5600350").PN.	US-PGPUB; USPAT; USOCR	2005/12/31 11:45	

	Error Definition	Errors
26		
27		
28		
29		